

Plugin Architectures in Haskell

An Overview over the ecosystem

Sebastian Graf

September 15, 2016

<https://github.com/sgraf812/hal16>

Motivation

Problem Description




$(\lambda x.xx)(\lambda x.xx)$




[1] [2]

Plugin Architecture Requirements



Plugin Architecture Requirements

Extensibility through third party code
Haskell as extension language




Plugin Architecture Requirements

Extensibility through third party code

Haskell as extension language

Stand-alone No compiler toolchain should be required on the client




Plugin Architecture Requirements

Extensibility through third party code

Haskell as extension language


Stand-alone No compiler toolchain should be required on the client

Type safety Early and graceful recognition of incompatible extensions



Shootout

Contenders





Extensibility can't be easier for third parties, see WoW. ✓✓

Haskell is not lua. ✗

Stand-alone The C bits are statically linked, no further dependencies. ✓✓

Type safety Neither in called code nor at API boundaries, also lua stack. ✗✗

Maturity lua is battle-tested and dead simple to include, yet hslua's API is rather low-level. ✓




Extensibility Just drop in source files, although package dependencies are resolved through GHC package registry ✓

Haskell ✓

Stand-alone Uses the GHC API, including compilation specific settings paths ✗

Type safety through broken `Typeable` overloads, falling back to `read/show` serialization. ✗

Maturity Most-used (52 reverse deps) contender according to hackage. ✓



```
Dyre.wrapMain :: (Config -> IO ()) -> IO ()  
Main.realMain :: Config -> IO ()
```



Extensibility You can't have more than one config file. Merging them requires knowledge of Haskell. ✘

Haskell ✓

Stand-alone Needs a complete compiler/stack toolchain available. ✘✘

Type safety There are no API boundaries, it's all one program and consequently type-checked as one. ✓✓

Maturity Rotting. Only really works with GHC and the global package registry. Mind-bending API. ✘

Extensibility Just drop in object archives. ✓✓

Haskell ✓

Stand-alone Although it depends on the GHC API, it works on a fresh installation. ✓

Type safety Needs reproducible builds in order to work seamlessly. Installed package id needed to find objects. Type errors at API boundaries lead to crashes at runtime. ✗

Maturity Unwieldy, scarcely documented API. Handling GHC generated symbols is low-level and unresolved. 0 reverse deps. ✗



Extensibility Just drop in object files. Package dependencies via `package.conf`s (outdated) ✓✓



Haskell ✓

Maturity Nicer API than `dynamic-loader`, but it's horribly outdated and broken. **XXX**

Summary

	hslua	hint	dyre	dynamic-loader	plugins
Extensibility	✓✓	✓	✗	✓✓	✓✓
Haskell	✗	✓	✓	✓	✓
Stand-alone	✓✓	✗	✗✗	✓	?
Type safety	✗✗	✗	✓✓	✗	?
Maturity	✓	✓	✗✗	✗	broken

Thanks! Questions?

-  <http://www.ebay.com/itm/Anime-Cosplay-Pokemon-Go-Pocket-Monster-Ash-Ketchum-232012326919>.
Accessed: 2016-09-09.
-  https://upload.wikimedia.org/wikipedia/commons/1/17/Rogue_Screen_Shot_CAR.PNG.
Accessed: 2016-09-09.

Check out the code of this talk at <https://github.com/sgraf812/hal16>